

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1035
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1034
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 198 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1033
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1032
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1031
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1030

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1029

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1028
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G 1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1027
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1026
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1025
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1024
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siagsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1023
ECOLAB
Year of manufacture: 2024

280047

Oval gear meter PLUS 01200

OGM PLUS 01200PEPPKKE-G1/2I-99-0005m-P

Materials of construction: PP, EDPM, PEEK, ceramic

Signal output (standard): 5,0 ml/pulse, 200 pulses/l

Max. pump size: 120 / 144 l/h (50/60Hz)

Semiconductor junction: PNP

Serial number: 734891 / 22024 / 1023

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 192 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1022

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1021
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1020

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Rathfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1019
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1018
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1017
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1016
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raißensstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1015
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 109 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1014

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1013
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1012
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raifalsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1011
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstraße 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1010

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1009
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1008
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raißfeldstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1007
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Rathfeldstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1006
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffalsenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PR EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1005
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1004
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83513 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1003
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raifelsensstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 121 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 42i

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1002
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Ralfheisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G 1/2"-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 734891 / 22024 / 1001
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16. Mai 2024

Prüfer P 421