

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1001
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1002
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1003
ECOLAB®
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPK	KE-G3/4i-99-0005m-P
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1004
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1005
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1006
ECOLAB®	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1007
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1008
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1009
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1010
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2024	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1011
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 83313 Siegsdorf
Year of manufacture: 2024	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPK	KE-G3/4i-99-0005m-P
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1012
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf
Year of manufacture:	2024



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1013
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
semiconductor junction: 730309 / 3424 / 1014
Serial number: Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf
Year of manufacture: 2024



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1015
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1016
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 140 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan 2021

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200 VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1017
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2024	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1018
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 85313 Siegsdorf
Year of manufacture: 2024	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1019
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1020
ECOLAB*	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1021
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 109 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1022

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPK	KE-G3/4i-99-0005m-P
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1023
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPK	KE-G3/4i-99-0005m-P
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	730309 / 3424 / 1024
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raitfelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 730309 / 3424 / 1025
ECOLAB
Year of manufacture: 2024

Made In Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 108 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 29. Jan. 2024

Prüfer P 421