

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/6i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1001
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1002
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1003
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raffelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1004
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1005
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1006
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280140
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112PVFPVKE-G1/8i-99-00005m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	0,5 ml/pulse, 2000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	734644 / 52024 / 1007
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1008
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsteinstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1009
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Singsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P. 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1010
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1011
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1012
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 11,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1013
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 734644 / 52024 / 1014

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 l [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juni 2024

Prüfer P 421