Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1001

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1002

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1003

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1004

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1005

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1006

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1007

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1008

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1009

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1010

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1011

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1012

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1013

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1014

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1015

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1016

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1017

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1018

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1019

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1020

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1021

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1022

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1023

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1024

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1025

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1026

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1027

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424/ 1028

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1029

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1030

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1031

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1032

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1033

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1034

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1035

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1036

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1037

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1038

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1039

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1040

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1041

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1042

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1043

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1044

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1045

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1046

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1047

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 30 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1048

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1049

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1050

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1051

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1052

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1053

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1054

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1055

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1056

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1057

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1058

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1059

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1060

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1061

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1062

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1063

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1064

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1065

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1066

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1067

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1068

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1069

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1070

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1071

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1072

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM.PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1073

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1074

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1075

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1076

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1077

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1078

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1079

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1080

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1081

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1082

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1083

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1084

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1085

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 31 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1086

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1087

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1088

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1089

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280043
Model description:	Oval gear meter PLUS 00540
OGM PLUS 00540VCFPPKKE-G1/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	54 / 65 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	735548 / 42424 / 1090

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.06.24

Prüfer P3

417101586