Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1001

ECOLAB
Year of manufacture 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1002

ECOLAB
Year of manufacture. 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1003

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1004

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1005
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1006
ECOLAB	Made in Germany by Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112

OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1007

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1008

ECOLAB
Year of manufacture 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1009
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1010

ECOLAB
Year of manufacture 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1011

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1012
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 63313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1013
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1014

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1015

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1016
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1017

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1018
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 63313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1019

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1020

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1021

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1022
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1023

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1024

ECOLAB
Year of manufacture 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1025

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1026
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1027
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 53313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1028
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1029

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1030

ECOLAB
Year of manufacture 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1031
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1032

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1033
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 63313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1034

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1035
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1036
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1037

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1038

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
53313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1039

ECOLAB
Year of manufacture. 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112

OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	742614 / 23924 / 1040

ECOLAB
Year of manufacture 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25.09.24

Prüfer P3

417101586