

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1001

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1002
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1003
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 67 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20.0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1004
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1005

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ralfseisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1006

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 69 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1007

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20.0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1008

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 68 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1009

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 68 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1010

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20.0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1011

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 69 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20.0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1012
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsensstrasse 7
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1013

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1014

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 69 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-Q020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1015

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4I-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1016

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siedsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1017

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1018

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ruhlfeldstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 71 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1019

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 69 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280045
Model description: Oval gear meter PLUS 02100
OGM PLUS 02100VCFPPKE-G5/4i-99-0020m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 20,0 ml/pulse, 50 pulses/l
Max. pump size: 210 / 250 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 751223 / 11325 / 1020

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 50 [l/h]*
lower measuring range limit

Impulszahl 70 [n/min]
pulse rate

bei 80 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 24.03.25

Prüfer P3