

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1001
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1002
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1003
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Stegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1004
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ralf-Reisenstrasse 7
83813 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1005
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 260141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1006
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
85313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1007
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63813 Siegbach



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1008
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raffelsteinstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1009
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raffelsteinstrasse 7
83313 Siegenried



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1010
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83813 Siegenort



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1011
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1012
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raffelsteinstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756456 / 53525 / 1013
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reiffenstraße 7
63313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1014
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
53513 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1015
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1016
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1017
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ratfenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1018
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1019
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1020

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1021
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*

lower measuring range limit

Impulszahl 20 [n/min]

pulse rate

bei 1,25 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/Bi-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1022
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raitfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1023
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raffelstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1024
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-09-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1025

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1028
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 260141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1027

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffesenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 260141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1028
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1029

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1030

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83813 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1031
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1032
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1033
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1034
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001.m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1035

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegenort



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1036
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1037
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63813 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1038
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ratfeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 0,8 [l/h]*

lower measuring range limit

Impulszahl 20 [n/min]

pulse rate

bei 1,25 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P

Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1039

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83813 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1040
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Singsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1041
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1042
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
53313 Siegsdorf

ECOLAB

Year of manufacture: 2025



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1043
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1.25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 260141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1044
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1045
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G 1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1046
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegenried



Anlaufgrenze 0,8 [l/h]*

lower measuring range limit

Impulszahl 20 [n/min]

pulse rate

bei 1,25 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758458 / 53525 / 1047
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83913 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1048
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83813 Siegsdorf



Anlaufgrenze 0.8 [l/h]*

lower measuring range limit

Impulszahl 20 [n/min]

pulse rate

bei 1.25 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1049
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280141
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G 1/8i-99-0001m-P
Materials of construction: PVC, FKM, PVDF, Ceramic
Signal output (standard): 1.0 ml/pulse, 1000 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756458 / 53525 / 1050
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83813 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08.09.25

Prüfer P3