

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.38 ml/pulse, 2600 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	756342 / 42825 / 1001
ECOLAB	Made in Germany by: Ecoteb Engineering GmbH Raffaelsstrasse 7 63313 Siegborn
Year of manufacture:	2025



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1002
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Räufersstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280182
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1003

ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ratzeburgstrasse
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2500p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1004
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reifensandstrasse 7
63113 Siegenort



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 260162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P
W31262906
Materials of construction: PVC, FKM HF, PVDF Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758342 / 42825 / 1005
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Stegeseel



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1006
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegen



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.58 ml/pulse, 2900 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1007
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reiffersenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HIF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1008

ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83319 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVK-E-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758342 / 42825 / 1009
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1010
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegborn



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1011
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
69313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2500p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756942 / 42825 / 1012
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raffelstrasse 7
83313 Siegenried



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42625 / 1013
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1014
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegbach



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1015
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
65913 Sieglar



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756942 / 42825 / 1016
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756942 / 42825 / 1017
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758342 / 42825 / 1018
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Rauhensteinstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.39 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1019
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.39 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1020
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raffelersstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1021
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83513 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756942 / 42825 / 1022
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/50 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1023
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegenfeld



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1024
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
65313 Siegbach



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1025
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83513 Siegedorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1026
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758342 / 42825 / 1027
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83513 Siegen



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756942 / 42825 / 1028
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Rudolfserstrasse 7
63313 Siegesdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T282906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1029
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
68313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 16.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1060
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758342 / 42825 / 1031
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVK-E-G 1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1032
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ratzenstrasse 7
83913 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1033
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raimannsstraße 7
63313 Siegborn



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.99 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1034
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Rautenstraße 7
63313 Siegbach



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1035
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
88513 Stiegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1036
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raffelstrasse 7
85313 Siegenhof



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2900 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 758342 / 42825 / 1037

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]*

lower measuring range limit

Impulszahl 53 [n/min]

pulse rate

bei 1.25 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280162
Model description:	Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/61-99-2600p-P	
W3T262906	
Materials of construction:	PVC, FKM HF, PVDF, Ceramic
Signal output (standard):	0.98 ml/pulse, 2800 pulses/l
Max. pump size:	11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction:	PNP
Serial number:	756342 / 42825 / 1038
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Rathenstrasse 7 65313 Siegbach
Year of manufacture:	2025



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 53 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1039
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raffelersstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 756342 / 42825 / 1040
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raitelsteinstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15.07.25

Prüfer P3