

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200 VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1001
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10.0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1002
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGMPLUS 01200VCFPPKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1003

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 3.5 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1004
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1005
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1006

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1007
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 1
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 260044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1008
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFFPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1009

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFFPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1010
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1011
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1012

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1013
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ralfsienstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/41-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1014

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1015
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Rathausstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-00-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1016
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1017
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60-Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1018
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*

lower measuring range limit

Impulszahl 61 [n/min]

pulse rate

bei 35 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1019
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1020

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1021

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1022
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 60 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1023
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 62 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60-Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1024
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280044
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 10,0 ml/pulse, 100 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757722 / 23525 / 1025
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 61 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 28.08.25

Prüfer P3