

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1010
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1009
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280076
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4I-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1008
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4I-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1007
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raffelensirasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280076
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/41-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1006
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reifenstra e 7
83313 Siedsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Pr fer P3

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1005
ECOLAB
Year of manufacture: 2025

Made In Germany by:
Ecolab Engineering GmbH
Ratfeldestrasse 7
63313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 260078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50.0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1004
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsendstrasse 7
83013 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1003
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reiffelstrasse 7
83313 Slegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1002
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280078
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCEPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 759214 / 13825 / 1001
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 22.09.25

Prüfer P3