

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200

PN: **10240556**

OGM PLUS 01200VCEPPKE-G3/4I-99-0005m-P

materials of construction: PVC, EPDM, PEEK, ceramic

signal output (standard): 5,0 ml/pulse, 200 pulses/l

max. pump size: 120 / 144 l/h (50/60Hz)

semiconductor junction: PNP

Year/Prod. code: 2024 / 747076 / 55024 / 1006

ECOLAB Engineering GmbH

D-83313 Slegsdorf

Made In Germany



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200
PN: 10240556
OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P
materials of construction: PVC, EPDM, PEEK, ceramic
signal output (standard): 5.0 ml/pulse, 200 pulses/l
max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Year/Prod. code: 2024 / 747078 / 55024 / 1005
ECOLAB Engineering GmbH
D-83313 Siegsdorf
Made In Germany

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200
PN: **10240556**
OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P
materials of construction: PVC, EPDM, PEEK, ceramic
signal output (standard): 5,0 ml/pulse, 200 pulses/l
max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Year/Prod. code: 2024 / 747076/55024/1004
ECOLAB Engineering GmbH
D-83313 Siedsdorf
Made in Germany

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200		
PN: 10240556		
OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, EPDM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2024 / 747078/55024/1003	
ECCLAB Engineering GmbH D-83313 Siegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 192 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200		
PN: 10240556		
OGM PLUS 01200VCEPPKKE-G3/4I-99-0005m-P		
materials of construction:	PVC, EPDM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2024 / 747076 / 55024 / 1002	
ECOLAB Engineering GmbH D-83313 Slegsdorf Made in Germany		

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Oval gear meter PLUS 01200		
PN: 10240556		
OGM PLUS 01200VCEPPKKE-G3/4i-99-0005m-P		
materials of construction:	PVC, EPDM, PEEK, ceramic	
signal output (standard):	5.0 ml/pulse, 200 pulses/l	
max. pump size:	120 / 144 l/h (50/60Hz)	
semiconductor junction:	PNP	
Year/Prod. code:	2024 / 747076/55024/1001	
ECOLAB Engineering GmbH D-83313 Siedsdorf Made in Germany		

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Dez. 2024

Prüfer P 421