Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1001

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13. März 2025

Prüfer P

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer [illegible]

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description.	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1003

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number	280048
Model description.	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1004
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2026

Prüfer

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1006

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1007

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer [illegible]

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1009

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P. Kai

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1013
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1015

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
93313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1016

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description.	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1017

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125/ 1018

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125/ 1022

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1023
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1025

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
93313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1027

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1029

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM.PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1030

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1032
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P_421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	750226 / 41125 / 1035
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 19. März 2025

Prüfer P 421

417101586