Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1001

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1002

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1003

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1004

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1005

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1006

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1007

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1008

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1009

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1010

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1011

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1012

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1013

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1014

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1015

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1016

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1017

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1018

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1019

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
93313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	739810 / 13224 / 1020

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 06.08.24

Prüfer P3

417101586