Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1001

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1003

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 97 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1004

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1006
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1008

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1009

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1010

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1011

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1014

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1017

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1018

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1019

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200 OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1022

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 424

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1023

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1025

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1026

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1027

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1028

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1030

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1032

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1033

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1034

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1037

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 59 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1039

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 58 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1040

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 74 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1042

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10.12.2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. 12. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1044

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1045

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 57 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 56 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1047

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280044
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0010m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	10,0 ml/pulse, 100 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	745307 / 34924 / 1049

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Year of manufacture: 2024

Anlaufgrenze 2.0 [l/h]*
lower measuring range limit

Impulszahl 55 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 54 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 10. Dez. 2024

Prüfer P 421

417101586