

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2-99-0005m.P	
Materials of construction:	PR EDM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1085
ECOLAB	Made in Germany by:
Year of manufacture: 2025	Ecotab Engineering GmbH
	Rattenstrasse
	83315 Siegenhof



Anlaufgrenze 10 [l/h]*

lower measuring range limit

Impulszahl 118 [n/min]

pulse rate

bei 35 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01 200
OGM PLUS 01200PEEPKE-G1/2I-99-0005m-P	
Materials of construction:	PE-EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60-Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1034
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Friedrichstraße 1 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze _____ [l/h]*

lower measuring range limit

Impulszahl _____ [n/min]

pulse rate

bei _____ [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKE-G1/21-99-0003m-P
Materials of construction: PR EDPM, PEEK, ceramic
Signal output (standard): 5,0 m/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 754567 / 32225 / 1038
ECOLAB
Made in Germany by:
Ecolab Engineering GmbH
Rallfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM-PLUS 01200PEPPKGE-G1/21-99-0005-m-P	
Materials of construction:	PR-EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1032
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Rallensstrasse 83313 Stingdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPP/KKE-G/121-99-005m-P
Materials of construction: PR EDPM, PEEK, ceramic
Signal output (standard): 5,0 mV/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor function: PNP
Serial number: 754567 / 32225 / 1031
Made in Germany
Produced by:
Ecolab GmbH
Eckelmannstrasse 7
83113 Siegenfeld

Year of manufacture: 2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 196 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter-PLUS 01200
OGM-PLUS 01200PEPKKE-G1/2-99-0005m ³ -P	
Materials of construction:	PR-EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754597 / 32225 / 1030
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Rattenstraße 1 85313 Stöckert
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPKKE-G1/2199-0005m ³ /h	
Materials of construction:	PR: EDPM, PEEK, ceramic
Signal output (standard):	5.0 m ³ /pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	RNP
Serial number:	754567 / 32225 / 1029
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Fahnenstrasse 7 85315 Stegshof
Year of manufacture: 2025	


Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	290048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPKKE-G1/2-99-0005m ³ -P	
Materials of construction:	PR: EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	
Serial number:	PNIP 754567 / 32225 / 1027
ECOLAB[®]	Made in Germany by: Ecolab Engineering GmbH Hainstraße 1 85315 Stegener
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 198 [n/min]
pulse rate
bei 35
at [l/h]*

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKE-G1/2:99-006mP
Materials of construction: PP, EDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 1.44 l/h (50/60-Hz)
Semiconductor junction: PNP
Serial number: 754567 / 32225 / 1026
ECOLAB
Year of manufacture: 2025

Made in Germany by
Ecolab Engineering GmbH
Helmholtzstrasse 1
83313 Siegstadt



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKE-G1/2i-99-0005m-P
Materials of construction: PR-EDPM, PEEK, ceramic
Signal output (standard): 5.0 mV/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 754567 / 32225 / 1025
ECOLAB
Made in Germany by:
Ecolab Engineering GmbH
Rathenbergerstr. 1
85315 Stöckert
Year of manufacture: 2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200/PEPP/KKE-G1/2199-0005m-P	
Materials of construction:	Pf. EDPW, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60 H ²)
Semiconductor function:	PNP
Serial number:	754567 / 32225 / 1024
ECOLAB*	Made in Germany by Ecolab Engineering GmbH Rathenaustrasse 7 83913 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate
bei 35
at [l/h]*

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200-PEEPKKE-G1/2I-89-0005m-P
Materials of construction: PP EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60-Hz)
Semiconductor junction: PNP
Serial number: 754567 / 32225 / 1023
Year of manufacture: 2025

ECOLAB
Made in Germany by:
Echle Engineering GmbH
Helmholtzstrasse 1
65313 Siegbach



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter, PLUS 01200
OGM PLUS 01200PEPPKKS-G1/2149-0005m-P	
Materials of construction:	PE EDPM, PEEK, ceramic
Signal output (standard):	5, 0 mI/pulse, 200 pulses//
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754587 / 32225 / 1022
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Rathlenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12 Juni 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKE-G1/2-99-3005m-P
Materials of construction: PP EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: FNP
Serial number: 754567 / 32225 / 1021
ECOLAB
Made in Germany by:
Ecolab Engineering GmbH
Helmholtzstr. 1
63318 Siegbach
Year of manufacture: 2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer Dr. G. G. G.

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2H99-0005-m-P	
Materials of construction:	PR EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1020
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Rathlenstrasse 7 85313 Stogdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 15 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer 4021

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PREPPKE-G1/2-99-0005m-P
Materials of construction: PP, FCPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor Junction: PNP
Serial number: 754567 / 32225 / 1019
Year of manufacture: 2025

ECOLAB
Made in Germany by:
Ecolab Engineering GmbH
Raffelstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*

lower measuring range limit

Impulszahl 110 [n/min]

pulse rate

bei 35 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200 PEP PKG-G 121-99-0005m-P	
Materials of construction:	PE EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60-Hz)
Semiconductor function:	PNP
Serial number:	754567 / 32225 / 1018
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Ratfelserstrasse 9 83313 Slegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter-PLUS 01200
OGM-PLUS 01200PEPPKKE-G1/2i99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1017
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Pallfelsenstrasse 7 83313 Siegsdorf
Year of manufacture:	2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200-PEPPKFC-3121-99-0005m-F	
Materials of construction:	PP, EDM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60-Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1016
ECOLAB	Made in Germany by Ecolab Engineering GmbH Rüttelsteinraase 7 85313 Stieglsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate
bei 35
at [l/h]*

* = kontinuierlicher Durchfluss / continuous flow

Datum 12 Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G12L-99-0005m-P
Materials of construction: PTFE/EDPM, PEEK, ceramic
Signal output (standard): 5,0 m³/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 754567 / 32225 / 1015
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raitenaustrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2H-99-0005m-P
Materials of construction: PP, EDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (30/60Hz)
Semi-conductor junction: PNP
Serial number: 754567 / 32225 / 1014
ECOLAB
Made in Germany by:
Ecolab Engineering GmbH
Ralliesenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKE-G1/2i-99-0005m-P
Materials of construction: PR EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 754567 / 32225 / 1013
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Rathenstraße 1
85313 Stiggecker




Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 113 [n/min]
pulse rate
bei 35
at [l/h]*

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPERPKK-G-1/2i-99-0005m-P
Materials of construction: PP EDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor function: PNP
Serial number: 754567 / 32225 / 1011
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Rallfelsenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 141 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKE-G/12i-99-0005m-P	
Materials of construction:	PR EDM, PEEK, ceramic
Signal output (standard):	5,0 m/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1010
ECOLAB	Made in Germany by: Eckardt Engineering GmbH Hofmannstrasse 1 83313 Stiegeldorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate
bei 35
at [l/h]*

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i99-0005m-P
Materials of construction: PP, EDPW, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: FNP
Serial number: 754567 / 32225 / 1009
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Rüttelsteinstraße 7
83313 Siegenried



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 424

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPEPKK-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 754567 / 32225 / 1008
ECOLAB®
Year of manufacture: 2025
Made in Germany by:
Ecolabo Engineering GmbH
Röntgenstrasse 7
63313 Staudart



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate
bei 35
at [l/h]*

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

417101586

Prüfprotokoll OGM^{plus}

Model number:	260046
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKE-G1/21-99-0005m-1-P	
Materials of construction:	FR EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor function:	PNP
Serial number:	754567 / 32225 / 1007
ECOLAB	Made in Germany by: Ecotest GmbH Ralfleierstrasse 1 83313 Siegedorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

280048
Model number: Oval gear meter P.LUS 01200
Model description: OGMP.LUS 01200PEPPKE-G1/2I-99-0005m³
Materials of construction: PR EDPM, PEEK, ceramic
Signal output (standard): 5,0 mI/pulse, 200 pulses/I
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
754567 / 32225 / 1005
Model: Germany BY:
Ecopol Engineering GmbH
Baltmannsstrasse 7
83313 Siegsdorf

Year of manufacture: 2025

ECOLAB



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G/121-99-0005m-P	
Materials of construction:	PR, EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor Junction:	PNP
Serial number:	754567 / 32225 / 1005
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Rathenaustrasse 7 85013 Singkofen
Year of manufacture:	2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 111 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer W. G. G. 1

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPKKE-31/2-99-0005-m-P	
Materials of construction:	PE EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1004
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Rathenaustrasse 1 58313 Siegbach
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEEPKKE-G1/2i-99-0005m²
Materials of construction: PB EDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 1.44 l/h (90/60Hz)
Semiconductor junction: PNP
Serial number: 754567 / 36225 / 1003
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ratteneisstrasse 7
85313 Siegenfeld



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	260048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEEP	KE-G1/21-99-0005m-P
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5.0 mV/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/m (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754597 / 32225 / 1002
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Rallteierstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 140 [n/min]
pulse rate
bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer 12345

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPERPKKE-G12L-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 m/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	754567 / 32225 / 1001
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raltwiesenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 12. Juni 2025
Prüfer 1277