

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP EDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1001
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1002
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1003
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1004
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Rathausstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1005
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer 3 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1006
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1007
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1008
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1009
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1010
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1011
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1012
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1013
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2"-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	746051 / 54824 / 1014
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	746051 / 54824 / 1015
ECOLAB	Made in Germany by:
Year of manufacture: 2024	Ecolab Engineering GmbH
	Ralf Meisenstrasse 7
	83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1016
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Ralf Feisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1017
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	746051 / 54824 / 1018
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 83313 Siegsdorf
Year of manufacture: 2024	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.03.2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1019
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1020
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1021
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Rathfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1022
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P	
Materials of construction:	PR, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	746051 / 54824 / 1023
ECOLAB	Made in Germany by:
Year of manufacture: 2024	Ecolab Engineering GmbH
	Raiffelsenstrasse 7
	83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	746051 / 54824 / 1024
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Slegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1025
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	746051 / 54824 / 1026
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1027
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1028
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1029
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1030
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1031
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1032
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	746051 / 54824 / 1033
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1034
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dez. 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280048
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 746051 / 54824 / 1035
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Dec 2024

Prüfer P 421