

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1021

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Ralf Feisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1001  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer 4221

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1002  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

|                                         |                                                                                          |
|-----------------------------------------|------------------------------------------------------------------------------------------|
| Model number:                           | 280151                                                                                   |
| Model description:                      | Oval gear meter PLUS 00112                                                               |
| OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P |                                                                                          |
| Materials of construction:              | PVC, EPDM, PVDF, ceramic                                                                 |
| Signal output (standard):               | 1,0 ml/pulse, 1000 pulses/l                                                              |
| Max. pump size:                         | 11,2 / 13,5 l/h (50/60Hz)                                                                |
| semiconductor junction:                 | PNP                                                                                      |
| Serial number:                          | 756346 / 32925 / 1003                                                                    |
| <b>ECOLAB</b>                           | Made in Germany by:<br>Ecolab Engineering GmbH<br>Raiffeisenstrasse 7<br>83313 Siegedorf |
| Year of manufacture:                    | 2025                                                                                     |



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1004  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

|                                         |                                                                                          |
|-----------------------------------------|------------------------------------------------------------------------------------------|
| Model number:                           | 280151                                                                                   |
| Model description:                      | Oval gear meter PLUS 00112                                                               |
| OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P |                                                                                          |
| Materials of construction:              | PVC, EPDM, PVDF, ceramic                                                                 |
| Signal output (standard):               | 1,0 ml/pulse, 1000 pulses/l                                                              |
| Max. pump size:                         | 11,2 / 13,5 l/h (50/60Hz)                                                                |
| semiconductor junction:                 | PNP                                                                                      |
| Serial number:                          | 756346 / 32925 / 1005                                                                    |
| <b>ECOLAB</b>                           | Made in Germany by:<br>Ecolab Engineering GmbH<br>Raiffeisenstrasse 7<br>83313 Stegsdorf |
| Year of manufacture: 2025               |         |

Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001 m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1006  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0.8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1.25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

|                                         |                                                                                          |
|-----------------------------------------|------------------------------------------------------------------------------------------|
| Model number:                           | 280151                                                                                   |
| Model description:                      | Oval gear meter PLUS 00112                                                               |
| OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P |                                                                                          |
| Materials of construction:              | PVC, EPDM, PVDF, ceramic                                                                 |
| Signal output (standard):               | 1,0 ml/pulse, 1000 pulses/l                                                              |
| Max. pump size:                         | 11,2 / 13,5 l/h (50/60Hz)                                                                |
| semiconductor junction:                 | PNP                                                                                      |
| Serial number:                          | 756346 / 32925 / 1007                                                                    |
| <b>ECOLAB</b>                           | Made in Germany by:<br>Ecolab Engineering GmbH<br>Raiffeisenstrasse 7<br>83313 Siegsdorf |
| Year of manufacture: 2025               |                                                                                          |



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1008  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60-Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1009  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVOKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 758346 / 32925 / 1010  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Stegsdorf



Anlaufgrenze 17,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVC KE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1011  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1012  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1013

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 260151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1014  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1015  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

|                                         |                                                                                          |
|-----------------------------------------|------------------------------------------------------------------------------------------|
| Model number:                           | 280151                                                                                   |
| Model description:                      | Oval gear meter PLUS 00112                                                               |
| OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P |                                                                                          |
| Materials of construction:              | PVC, EPDM, PVDF, ceramic                                                                 |
| Signal output (standard):               | 1,0 ml/pulse, 1000 pulses/l                                                              |
| Max. pump size:                         | 11,2 / 13,5 l/h (50/60Hz)                                                                |
| semiconductor junction:                 | PNP                                                                                      |
| Serial number:                          | 756346 / 32925 / 1016                                                                    |
| <b>ECOLAB</b>                           | Made in Germany by:<br>Ecolab Engineering GmbH<br>Raiffeisenstrasse 7<br>83313 Siedsdorf |
| Year of manufacture: 2025               |                                                                                          |



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P. 1234

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1017  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Rallfeisenstrasse  
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1018  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 20 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8I-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1019  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Ratfeldestrasse 7  
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 1,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280151  
Model description: Oval gear meter PLUS 00112  
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P  
Materials of construction: PVC, EPDM, PVDF, ceramic  
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l  
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 756346 / 32925 / 1020  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]\*  
lower measuring range limit

Impulszahl 21 [n/min]  
pulse rate

bei 11,25 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 22. Juli 2025

Prüfer P 421