

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	760857 / 14225 / 1030
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Reifenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Typenschild aufkleben

Anlaufgrenze _____ [l/h]*
lower measuring range limit

Impulszahl _____ [n/min]
pulse rate

bei _____ [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum _____

Prüfer _____

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1029
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegenried



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1028
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 780857 / 14225 / 1027
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	760857 / 14225 / 1026
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegedorf
Year of manufacture: 2025	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/n (50/60Hz)
semiconductor junction: PNP
Serial number: 780857 / 14225 / 1025
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*

lower measuring range limit

Impulszahl 110 [n/min]

pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1024
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	760857 / 14225 / 1023
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1022
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	760857 / 14225 / 1021
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Ratfelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	760857 / 14225 / 1020
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Ratfeldeustraße 7 83313 Siegsdorf
Year of manufacture: 2025	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VOFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 780857 / 14225 / 1019
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
85313 Siegenfeld



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4"-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760657 / 14225 / 1018
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1017
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/41-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1016
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reifelseestraße 7
83313 Siegenburg



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1015
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 85 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1014
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1013
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 780857 / 14225 / 1012
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1011
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1010
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1009
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1008
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1007
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1006
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size:
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1005
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VOFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1004

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*

lower measuring range limit

Impulszahl 110 [n/min]

pulse rate

bei 35 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1003
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1002
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 760857 / 14225 / 1001
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Okt. 2025

Prüfer P 421