

Prüfprotokoll OGM^{plus}

Model number:	280140
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	0,5 ml/pulse, 2000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	747226 / 3325 / 1015
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1001
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1002
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1003
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1004
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1005
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegesdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1006
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1007
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1008
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 2,8 [l/h]*
lower measuring range limit

Impulszahl 41 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1009
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Slegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1010

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1011
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 41 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1012
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1013
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 747226 / 3325 / 1014
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 21. Jan. 2025

Prüfer P 421