

Prüfprotokoll OGM^{plus}

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	760316 / 34125 / 1035
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1034
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1033
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffaissenstrasse 7
83313 Siegen



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1032
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*

lower measuring range limit

Impulszahl 112 [n/min]

pulse rate

bei 35 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1031
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1030
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1029
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	760316 / 34125 / 1028
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1027
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1026
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegenburg



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 260047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1025
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 780316 / 34125 / 1024
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1023
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1022
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reifenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1021
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2I-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	760316 / 34125 / 1020
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1019
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1018
ECOLAB
Made in Germany by:
Ecolab Engineering GmbH
Reifelsmattstrasse 7
83313 Siegsdorf
Year of manufacture: 2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

15. Okt. 2025

Datum _____

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1017
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1016

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1015
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
65313 Sieglar



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2"-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1014
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 42

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 780316 / 34125 / 1013
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	760316 / 34125 / 1012
ECOLAB	Made in Germany by:
Year of manufacture: 2025	Ecolab Engineering GmbH
	Ralfelsenstrasse 7
	83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 260047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPKKE-G1/2I-00-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1011
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Rulfsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1010
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P
Materials of construction: PR, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1009
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raitfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1008
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	760316 / 34125 / 1007
ECOLAB	Made in Germany by:
Year of manufacture: 2025	Ecolab Engineering GmbH
	Raiffaßenstrasse 7
	83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	760316 / 34125 / 1006
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 85313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PR EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1005
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1004
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P
Materials of construction: PR EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760318 / 34125 / 1003
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ralf-Jensen-Strasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280047
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P
Materials of construction: PP, EDPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 760316 / 34125 / 1002
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	760316 / 34125 / 1001
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 15. Okt. 2025

Prüfer P 421