

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1001

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-GS/4i-99-0050m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50,0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	757623 / 13225 / 1002
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegedorf
Year of manufacture: 2025	

Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1003

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1004

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKE-G5/4I-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1005

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1006

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4I-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1007

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegenhof



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1008

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4I-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1009
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50,0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	757623 / 13225 / 1010
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-GS/4i-99-0050m-P	
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50,0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	757823 / 13225 / 1011
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4I-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1012

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1013
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280046
Model description:	Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPK	KE-G5/4I-99-0050m-P
Materials of construction:	PVC, FKM, PEEK, ceramic
Signal output (standard):	50,0 ml/pulse, 20 pulses/l
Max. pump size:	450 / 540 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	757623 / 13225 / 1014
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Reiffelsstrasse 7 83313 Slegsdorf
Year of manufacture:	2025



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280046
Model description: Oval gear meter PLUS 04500
OGM PLUS 04500VCFPPKKE-G5/4i-99-0050m-P
Materials of construction: PVC, FKM, PEEK, ceramic
Signal output (standard): 50,0 ml/pulse, 20 pulses/l
Max. pump size: 450 / 540 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 757623 / 13225 / 1015

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 75 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 120 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 13.08.25

Prüfer P3