

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1020
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum P 421

Prüfer 25. Juli 2025

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1019

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Raffelsteinstrasse 7
63313 Siegborn



Year of manufacture: 2025

Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1018
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ratfeisenstrasse 7
83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1017
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 85 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1016
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ralfelsternstrasse 7
83313 Siegedorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1015
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raltfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 758847 / 43025 / 1014
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
89313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 38 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1013
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
89313 Slegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 36 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1012
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1011

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1010
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1009

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ralfleeenstrasse 7
63313 Siegbach



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1008
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 85 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1007

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 33 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4I-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 758847 / 43025 / 1006

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1005
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1004

ECOLAB®

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1003

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 35 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1002
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 34 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280073
Model description: Oval gear meter PLUS 00540
OGM PLUS 00540VCEPPKKE-G1/4i-99-0005m-P
Materials of construction: PVC, EPDM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 54 / 65 l/h (50/60Hz)
Semiconductor junction: PNP
Serial number: 756847 / 43025 / 1001
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 6 [l/h]*
lower measuring range limit

Impulszahl 32 [n/min]
pulse rate

bei 10 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 25. Juli 2025

Prüfer P 421