

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1025
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

08. Mai 2024

Datum _____

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1024

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 29 [n/min]
pulse rate

bei 1125 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1023
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	733837 / 11924 / 1022
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Reiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1021
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	733837 / 11924 / 1020
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raifelsenstrasse 7 83313 Slegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1019
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	733837 / 11924 / 1018
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Reifweissenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/BI-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1017
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVC	KE-G1/BI-99-0001m-P
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	733837 / 11924 / 1016
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1015
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 08 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1014
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsensstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1013
ECOLAB
Year of manufacture: 2024

Made In Germany by:
Ecolab Engineering GmbH
Reißeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 42

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8-99-0001 m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	733837 / 11924 / 1012
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1011
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1010
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/81-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1009
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/BI-99-0001 m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	733837 / 11924 / 1008
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at


* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/81-99-0001 m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1007
ECOLAB
Year of manufacture: 2024
Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Singsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1006
ECOLAB
Year of manufacture: 2024

280151

Oval gear meter PLUS 00112

OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P

Materials of construction: PVC, FPM, PVDF, ceramic

Signal output (standard): 1,0 ml/pulse, 1000 pulses/l

Max. pump size: 11,2 / 13,5 l/h (50/60Hz)

semiconductor junction: PNP

Serial number: 733837 / 11924 / 1006

ECOLAB

Made in Germany by:

Ecotab Engineering GmbH

Railfelsenstrasse 7

83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1005

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024


Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	733837 / 11924 / 1004

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1003
ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse
83313 Siedsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280151
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 1,0 ml/pulse, 1000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 733837 / 11924 / 1002

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate


bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	733837 / 11924 / 1001
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2024	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 22 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 08. Mai 2024

Prüfer P 421