

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1001

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
65313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1002

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
53515 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/Bi-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.39 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1003

ECOLAB
Year of manufacture 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstr. 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.39 ml/pulse, 2600 pulses/l
M_{ax}. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1004

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegesdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPPKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1005
ECOLAB
Year of manufacture: 2024
Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1006

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffenstrasse 7
83133 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1007

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raufesengstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1008

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1009

ECOLAB*
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1010

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1011

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83913 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.98 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1012

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2800 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1013

ECOLAB

Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
M_{ax.} pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1014

ECOLAB
Year of manufacture 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1015

ECOLAB
Year of manufacture 2024

Made in Germany by:
Ecolab Engineering GmbH
Rauhenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T2906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1016

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1017

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63113 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1018

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.39 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1019

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFFPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1020

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1021

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1022

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/6i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1023

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Rufteisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1024

ECOLAB⁺
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1025

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1026

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffisenstrasse 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1027

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raffaelsstrasse 7
63113 Siegbach



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1028

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raffelstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1029

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1030

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1031

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Rauhensteinstr. 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1032

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raffelsteinstraße 7
63313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 52 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0,38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1033

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
63113 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8I-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1034

ECOLAB

Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1035

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Ratfelserstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 51 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P

W3T262906

Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1036

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/81-99-2600p-P
W3T262906
Materials of construction: PVC, FKM, HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1037

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/BI-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1038

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1039

ECOLAB
Year of manufacture: 2024

Made in Germany by
Ecolab Engineering GmbH
Raiffeisenstraße 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280162
Model description: Oval Gear Meter PLUS 00112
OGM PLUS 00112VCFPPVKE-G1/8i-99-2600p-P
W3T262906
Materials of construction: PVC, FKM HF, PVDF, Ceramic
Signal output (standard): 0.38 ml/pulse, 2600 pulses/l
Max. pump size: 11.2 / 13.5 l/h (50/60 Hz)
Semiconductor junction: PNP
Serial number: 736123 / 52124 / 1040

ECOLAB
Year of manufacture: 2024

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 50 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 05.06.24

Prüfer P3