

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1001
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelaenstrasse 7
63313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 30. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1002

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1003
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 192 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1004

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reifelsenstrasse 7
83133 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1005

ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1006
ECOLAB	Made In Germany by: Ecolab Engineering GmbH Ralffeisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2025	



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1007

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate


bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPKKE-G3/4-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1008
ECOLAB	Made In Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1009
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Hilffelsstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1010
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Ralfelsenstrasse / 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate


bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1011
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Reifenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow


Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1012
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow


Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1013
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1014
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum P 421

Prüfer 20. Jan. 2025

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1015
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1016

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf

Year of manufacture: 2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate


bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFFPKKE-G3/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1017
ECOLAB	Made In Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 122 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1018

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow


Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1019
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffaenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1020

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1021
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1022

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ra/Helsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate


bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1023
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at


* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/41-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1024
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 114 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1025
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1026

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Räiffelsenstrasse 7
63313 Siegsdorf

Year of manufacture: 2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1027
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1028
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 109 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	745985 / 3325 / 1029
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745985 / 3325 / 1030

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raifalserstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 20. Jan. 2025

Prüfer P 421