

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1001  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280087  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754687 / 12525 / 1002

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 121 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 260067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12526 / 1003

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfleisenstrasse 7  
85313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1004

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelensstrasse /  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1005

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1006

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1007  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
85313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1008  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1009

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1010

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Rai-Hallenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1011

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1012

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelensstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1013  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1014  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
93313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1015

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1016  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 121 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1017

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1018  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1019  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1020  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Stegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1021  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1022  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-00-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1023  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1024  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1025  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPK KE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1026  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280067
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200VCFPKKE-G3/4i-99-0005m-P	
Materials of construction:	PVC, FPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	754667 / 12525 / 1027
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1028  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754867 / 12525 / 1029  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 754667 / 12525 / 1030  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffalenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 17.06.25

Prüfer P3