

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8j-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0.5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1001

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP

Serial number: 756488 / 33125 / 1002

ECOLAB

Made in Germany by:
Ecolab Engineering GmbH
Raiffalenstrasse 7
83313 Siegsdorf



Year of manufacture: 2025

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 43 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 758488 / 33125 / 1003
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ralfelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 43 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1004
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Stegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280140
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G 1/8i-99-00005m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	0,5 ml/pulse, 2000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	756486 / 33125 / 1005
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raifalenstrasse 7 63313 Siedsdorf
Year of manufacture: 2025	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 41 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8I-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1006
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 43 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1007
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ralfhelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 39 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8I-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1008
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Ralfweisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 40 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow.

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1009

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 41 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280140
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	0,5 ml/pulse, 2000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	756488 / 33125 / 1010
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Reiffelsenstrasse 7 83313 Siegedorf
Year of manufacture: 2025	

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 41 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1011
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 41 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number:	280140
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8i-99-00005m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	0,5 ml/pulse, 2000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	756486 / 33125 / 1012
ECOLAB	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2025	



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 42 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G1/8I-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1013

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reifalenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 43 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3

Prüfprotokoll OGM^{plus}

Model number: 280140
Model description: Oval gear meter PLUS 00112
OGM PLUS 00112PVFPPVKE-G 1/8i-99-00005m-P
Materials of construction: PVC, FPM, PVDF, ceramic
Signal output (standard): 0,5 ml/pulse, 2000 pulses/l
Max. pump size: 11,2 / 13,5 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 756488 / 33125 / 1014

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 0,8 [l/h]*

lower measuring range limit

Impulszahl 40 [n/min]

pulse rate

bei 1,25 [l/h]*

at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11.08.25

Prüfer P3