

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP

Serial number: 740615 / 53524 / 1029

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/41-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1028

**ECOLAB**

Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralffeienstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1027  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1026  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83315 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1025  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1024  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1023  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstraße 7  
83313 Slegsdorf



Anlaufgrenze 30 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1022  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1021  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1020  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1019  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Reifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1018  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1017  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1016  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1015  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1014  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1013  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Reifweissenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1012  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1011  
**ECOLAB**  
Year of manufacture: 2024  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1010  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 108 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1009  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Ralf Heisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1008  
**ECOLAB**  
Year of manufacture: 2024

280067

Oval gear meter PLUS 01200

OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P

PVC, FPM, PEEK, ceramic

5,0 ml/pulse, 200 pulses/l

120 / 144 l/h (50/60Hz)

PNP

740615 / 53524 / 1008

Made in Germany by:

Ecob Engineering GmbH

Raiffeisenstrasse

83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1007  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1006



Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Year of manufacture: 2024

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 111 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1005  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1004

**ECOLAB**

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Year of manufacture: 2024

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1003  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1002  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 113 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280067  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P  
Materials of construction: PVC, FPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
semiconductor junction: PNP  
Serial number: 740615 / 53524 / 1001  
**ECOLAB**  
Year of manufacture: 2024

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 05. Sep. 2024

Prüfer P 421