


# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1035
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 30 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1034  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Ralffelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1033
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralf Feisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P. 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1032
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Reifhagenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1031
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Slegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1030

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1029  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffaisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P\_421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1028

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1027

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1026  
**ECOLAB**<sup>+</sup>  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Häufelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1025
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer 07. April 2025 P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1024
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer 07. April 2025 P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1023

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 427

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1022

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raißelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1021  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 3.5 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1020
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at


\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/21-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1019
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1018

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number 751991 / 11425 / 1017

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5.0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1016
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2025	



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1015  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1014
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1013
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralfelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1012

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5.0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1011  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1010  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1009  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1008

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1007  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1006  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1005

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	751991 / 11425 / 1004
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Reiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 3.5 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1003

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Rathelnsstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1002

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 751991 / 11425 / 1001

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 07. April 2025

Prüfer P 421