

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 260048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1001

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1002

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 121 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1003  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
63313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 121 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1004

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
63313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 119 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1005

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1006  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 121 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280048
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	752409 / 12025 / 1007
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1008

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P  
Materials of construction: PR, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1009

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1010

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1011  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-09-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1012  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280046  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP

Serial number: 752409 / 12025 / 1013

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 120 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 250048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PR, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1014  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1015

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1016

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 117 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1017  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfwiesenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PR, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1018  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 122 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1019  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280048  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 752409 / 12025 / 1020  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Ralfelsenstrasse  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 122 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 21.05.25

Prüfer P3