

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PR, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1030  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1029  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1028
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raifelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1027

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1026
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegstorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G 1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1025  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2I-09-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1024  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PR EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1023

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 260047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1022

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
85313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1021
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralf Heienstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1020  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PR EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1019  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1018  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Ralffeisenstrasse 7  
83313 Slegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1017
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralf-Walzenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-09-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1016
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralfelsenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1015  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegedorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at


\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number:	260047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1014
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralfwiesenstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 110 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P  
Materials of construction: PR, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1013  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow


Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1012  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at


\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-09-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1011  
**ECOLAB**  
Year of manufacture: 2025  
Made in Germany by:  
Ecolab Engineering GmbH  
Reiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKE-G1/2i-99-0005m-P	
Materials of construction:	PR, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1010
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 118 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P	
Materials of construction:	PR, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1009
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 83313 Siegedorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1008
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Ralf-Joel-Strasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow


Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1007  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421



# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1006  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Siegsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1005
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raiffelsstrasse 7 83313 Siegedorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 116 [n/min]  
pulse rate


bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number:	280047
Model description:	Oval gear meter PLUS 01200
OGM PLUS 01200PPEPPKKE-G1/21-99-0005m-P	
Materials of construction:	PP, EDPM, PEEK, ceramic
Signal output (standard):	5,0 ml/pulse, 200 pulses/l
Max. pump size:	120 / 144 l/h (50/60Hz)
Semiconductor junction:	PNP
Serial number:	755225 / 12725 / 1004
<b>ECOLAB</b>	Made in Germany by: Ecolab Engineering GmbH Raifalserstrasse 7 83313 Siegsdorf
Year of manufacture: 2025	

Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1003  
**ECOLAB**  
Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffelsenstrasse 7  
83313 Siedsdorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 115 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKE-G1/2I-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1002

**ECOLAB**

Year of manufacture: 2025

Made in Germany by:  
Ecolab Engineering GmbH  
Raiffeisenstrasse 7  
83313 Sieddorf



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 114 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421

# Prüfprotokoll OGM<sup>plus</sup>

Model number: 280047  
Model description: Oval gear meter PLUS 01200  
OGM PLUS 01200PPEPPKKE-G1/2i-99-0005m-P  
Materials of construction: PP, EDPM, PEEK, ceramic  
Signal output (standard): 5,0 ml/pulse, 200 pulses/l  
Max. pump size: 120 / 144 l/h (50/60Hz)  
Semiconductor junction: PNP  
Serial number: 755225 / 12725 / 1001

**ECOLAB**

Made in Germany by:  
Ecolab Engineering GmbH  
Raifelsenstrasse 7  
83313 Slegsdorf

Year of manufacture: 2025



Anlaufgrenze 20 [l/h]\*  
lower measuring range limit

Impulszahl 112 [n/min]  
pulse rate

bei 35 [l/h]\*  
at

\* = kontinuierlicher Durchfluss / continuous flow

Datum 04. Juli 2025

Prüfer P 421