

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1030
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffaisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|---|---|
| Model number: | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P | |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5,0 ml/pulse, 200 pulses/l |
| Max. pump size: | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1029 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Raiffaßenstrasse 7 83513 Siegedorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1028
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1027

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 192 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|---|--|
| Model number | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P | |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5,0 ml/pulse, 200 pulses/l |
| Max. pump size | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1026 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Slegsdorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1025
ECOLAB
Year of manufacture: 2025
Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1024

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1023
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegedorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate


bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|---|--|
| Model number: | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P | |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5,0 ml/pulse, 200 pulses/l |
| Max. pump size: | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1022 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siegsdorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1021
ECOLAB
Year of manufacture: 2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 120 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1020
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 119 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1019

ECOLAB

Year of manufacture: 2025

Made In Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 118 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745988 / 3325 / 1018
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5.0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1017

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raifelsenstraße 7
83313 Slegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCPPKKE-G3/41-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1016

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 116 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|---|--|
| Model number: | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P | |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5,0 ml/pulse, 200 pulses/l |
| Max. pump size: | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1015 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siedsdorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan, 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1014

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|--|--|
| Model number: | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P | |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5.0 ml/pulse, 200 pulses/l |
| Max. pump size: | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1013 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Hälfelsenstraße 7 83313 Slegsdorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P. 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1012

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raifalserstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1011
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1010
ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Reiffelsenstrasse 9
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 110 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|---|--|
| Model number: | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P | |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5,0 ml/pulse, 200 pulses/l |
| Max. pump size: | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1009 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Raiffelsenstrasse 7 83313 Siegsdorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1008

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffalenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1007

ECOLAB
Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|---|--|
| Model number: | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P | |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5,0 ml/pulse, 200 pulses/l |
| Max. pump size: | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1006 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Raiffeisenstrasse 7 83313 Siedsdorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 117 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1005

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siedsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 115 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|---|---|
| Model number: | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPKKE-G3/4I-99-0005m-P | |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5,0 ml/pulse, 200 pulses/l |
| Max. pump size: | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1004 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Reifelsenstrasse 7 83313 Siegsdorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 427

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
Max. pump size: 120 / 144 l/h (50/60Hz)
semiconductor junction: PNP
Serial number: 745986 / 3325 / 1003
ECOLAB
Year of manufacture: 2025



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 194 [n/min]
pulse rate

bei 3,5 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

Model number: 280067
Model description: Oval gear meter PLUS 01200
OGM PLUS 01200VCFPPKKE-G3/4i-99-0005m-P
Materials of construction: PVC, FPM, PEEK, ceramic
Signal output (standard): 5,0 ml/pulse, 200 pulses/l
120 / 144 l/h (50/60Hz)
Max. pump size: PNP
semiconductor junction: 745986 / 3325 / 1002
Serial number:

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffelsenstraße 7
83313 Siegsdorf



Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate


bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 17. Jan. 2025

Prüfer P 421

Prüfprotokoll OGM^{plus}

| | |
|----------------------------|---|
| Model number: | 280067 |
| Model description: | Oval gear meter PLUS 01200 |
| OGM PLUS 01200VCFPPK | KE-G3/4i-99-0005m-P |
| Materials of construction: | PVC, FPM, PEEK, ceramic |
| Signal output (standard): | 5,0 ml/pulse, 200 pulses/l |
| Max. pump size: | 120 / 144 l/h (50/60Hz) |
| semiconductor junction: | PNP |
| Serial number: | 745986 / 3325 / 1001 |
| ECOLAB | Made in Germany by: Ecolab Engineering GmbH Ralfelsenstrasse 7 83313 Siegsdorf |
| Year of manufacture: 2025 |  |

Anlaufgrenze 20 [l/h]*
lower measuring range limit

Impulszahl 112 [n/min]
pulse rate

bei 35 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 11. Jan. 2025

Prüfer P 421