



Spare Parts:



Positions 6 to 10 only for version with integrated 3/2-port solenoid valve



Pos. 11 only for version with external 3/2-port directional control valve

Pos.-no.	Article	Material No.
1	Pressure valve DRV PFS 002 M18x1,5-G3/8-99	241033
	Pressure valve DRV PES 002 M18x1,5-G3/8-99	241035
2	Suction valve SAV PFS 000 M18x1,5-G3/8-99	241032
	Suction valve SAV PES 000 M18x1,5-G3/8-99	241034
3	Connection set PP for G3/8 hose (ID/AD) 4/6, 6/8, 6/12 mm	252137
4	O-ring Viton B 10x2.5	417008327
	O-ring EPDM 10x2.5	417001080
5	O-ring Viton B 12x2	417008309
	O-ring EPDM 12x2	417001101
6*	Anchor system 3/2NC NW 1,5 10 bar	10241636
7*	EJOT-PT-screw KB 30 X 10 WN1423 V2A	413071239
8*	Mounting plate 21 x 21 x 2 Zn	10241637
9*	Magnet coil CK024C 24 V AC	417704076
	Magnet coil CK048C 48 V AC	417704077
	Magnet coil CK024D 24 V DC (standard)	10241639
	Magnet coil 230 V AC	417704051
10*	Knurled nut M8 x 0,75 D.16 PA 6.6	10241638
11**	Compressed-air inlet complete	241016
12	Diaphragm cartridge 3.0 l/h	241013
	Diaphragm cartridge 12.0 l/h	241015
13	O-ring Viton B 3.5x1.5	417008313
	O-ring EPDM 3.5x1.5	417001012
14	O-ring Viton B 5.28x1.78	417008596
	O-ring EPDM 5.28x1.78	417001030
15	Venting screw PP PDP	34103016
16	Venting lever	34103018
17	Bayonet screw S60	413229080
18	Retaining washer S60	413229081
19	Locking unit S60	413229082
without figure	Wiring outlet 2-pole straight (only for version with integrated 3/2-port solenoid valve)	418468060

* Positions 6 to 10 only for version with integrated 3/2-port solenoid valve

** Position 11 only for version with external 3/2-port directional control valve