Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number	749517 / 3725 / 1001

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1002

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1003

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1005

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1006

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
93313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001 m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1007

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1008

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1009

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1010

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1011

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1012

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction.	PNP
Serial number:	749517 / 3725 / 1013

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction	PNP
Serial number:	749517 / 3725 / 1014

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1015

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1016

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1017

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1018

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1019

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1020

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1021

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 19 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1022

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
93313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1023

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
93313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 21 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1024

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586

Prüfprotokoll OGM^{plus}

Model number:	280151
Model description:	Oval gear meter PLUS 00112
OGM PLUS 00112VCEPVCKE-G1/8i-99-0001m-P	
Materials of construction:	PVC, FPM, PVDF, ceramic
Signal output (standard):	1,0 ml/pulse, 1000 pulses/l
Max. pump size:	11,2 / 13,5 l/h (50/60Hz)
semiconductor junction:	PNP
Serial number:	749517 / 3725 / 1025

ECOLAB

Year of manufacture: 2025

Made in Germany by:
Ecolab Engineering GmbH
Raiffeisenstrasse 7
83313 Siegsdorf

Anlaufgrenze 0,8 [l/h]*
lower measuring range limit

Impulszahl 20 [n/min]
pulse rate

bei 1,25 [l/h]*
at

* = kontinuierlicher Durchfluss / continuous flow

Datum 18.02.25

Prüfer P3

417101586